

**APPENDIX B6 – SCHOOL SIGNS
DIMENSION DESCRIPTIONS**

S3-1: School Bus Stop Ahead

- A is the length of each edge of the sign.
- B is the inset from the edge of the sign to the border.
- C is the border width.
- D is the height of the arrow symbol.
- E is the distance from the horizontal center of the sign to the bottom of the arrow symbol.
- F is the distance from the horizontal center of the sign to the top of the pedestrian symbol.
- G is the height of the pedestrian symbol.
- H is the distance from the horizontal center of the sign to the bottom of the arrow symbol.
- J is the height of the stopped school bus symbol.
- K is the distance from the vertical center of the sign to the left edge of the stopped school bus symbol.
- L is the distance from the vertical center of the sign to the right edge of the stopped school bus symbol.
- M is the distance from the right edge of the stopped school bus symbol to the left edge of the pedestrian symbol.
- N is the corner radius.

S4-5: Reduced School Speed Limit Ahead

- A is the length of each edge of the sign.
- B is the inset from the edge of the sign to the border.
- C is the border width.
- D is the height of the arrowhead.
- E is the distance from the barbs of the arrowhead to the bottom of the arrow symbol.
- F is the distance from the bottom of the arrow symbol to the top of the white panel.
- G is the distance from the top of the sign to the top of the first line.
- H is the letter height and FHWA standard font for the first line.
- J is the space between the first and second lines.
- K is the letter height and FHWA standard font for the second and third lines.
- L is the space between the second, third, and fourth lines.
- M is the letter height and FHWA standard font for the fourth line
- N is the distance from the bottom of the last line to the bottom of the white panel.
- P is the distance from the horizontal center of the sign to the bottom of the white panel.
- Q is the distance from the horizontal center of the sign to the top of the dividing line on the white panel.
- R is the distance from the top of the dividing line to the top of the white panel.
- S is the inset from the edge of the white panel to its border.
- T is the border width of the white panel and the dividing line.
- U is the corner radius of the white panel.
- V is the distance from the vertical center of the sign to the left edge of the word on the first line.
- W is the distance from the vertical center of the sign to the right edge of the word on the first line.
- X is the distance from the vertical center of the sign to the left edge of the word on the second line.
- Y is the distance from the vertical center of the sign to the right edge of the word on the second line.
- Z is the distance from the vertical center of the sign to the left edge of the word on the third line.
- AA is the distance from the vertical center of the sign to the right edge of the word on the third line.
- BB is the distance from the vertical center of the sign to the left and right edges of the word on the fourth line.
- CC is the distance from the vertical center of the sign to the left and right edges of the white panel.
- EE is the corner radius of the sign.